Indorama Ventures Fibers Germany GmbH
Trademark Service
Max-Fischer-Str. 11
86399 Bobingen, Germany
trademarkservice.IVFG@de.indorama.net
Tel. +49 8234 9688 1673
www.indoramaventures.com

Approval of the Trademark Trevira CS eco®

Silent Gliss
Fabrics & Components GmbH
Rheinauenstrasse 8
79415 Bad Bellingen
Germany

Application No.:	**253001.1**
Date of issue:	01.08.2025
Valid until:	09.05.2030
Article name:	Colorama 2 ECO
Color:	natural
End use:	Interior Solar Shading
Square weight (g/m²):	260
According to customer specification	
Composition of the raw materials:	100% Polyester
Composition of the fabric:	100% Trevira CS eco with % pre-consumer recycled (fibre)

The article Colorama 2 ECO has been tested under the trademark application no. 253001 and is granted approval for the trademark Trevira CS eco® for interior use.

This article was tested according to DIN 4102 part 1, 6.2 and thus also meets the requirements for fire class DIN 4102-B1.

The article was tested according to the French Standard NF P 92-504 (Propagation de flamme) and thus also meets the requirements for class M1 according to NF P 92-503, 92-505 and 92-507.

The article meets the requirements for class 1 according to EN 13773.

The article qualifies for class B-s1, d0 according to the European Standard EN 13501-1. Trevira CS has been approved by the DIBt with the General Building Inspectorate Approval, Approval No. Z-56.25-3573 dd. 10 January 2024.

The article meets also the requirements for class 1 according to the Italian Standards UNI 8456 and UNI 8457.

The article meets the requirements according to the Italian standard UNI 9175, class 1 IM in conjunction with suitable combustion modified foams.

Sitz der Gesellschaft / registered office: Bobingen • Amtsgericht / Local Court: Augsburg HRB 24933
Geschäftsführer / Managing Directors: Klaus Holz (CEO), Sunil Baldi • Vorsitzender des Aufsichtsrats / Chairman Supervisory Board: Jochen Boos

The article meets also the requirements according to British Standard BS 5867 part 2 type C.

The article meets also the requirements according to British Standard BS 5852: ignition source 0 (cigarette), ignition source 1 (match) and ignition source 5 (crib 5) in conjunction with suitable combustion modified foams (at least 50 kg/m³).

The article meets the requirements according to the North American standard NFPA 701: 2010 Test Method #1 (based on the Test Reports Govmark, New York No. 2-94779, 2-94780, 2-94781).

Indorama Ventures Fibers Germany GmbH
(This document is valid without signature.)

Indorama Ventures Fibers Germany GmbH
Trademark Service
Max-Fischer-Str. 11
86399 Bobingen, Germany
trademarkservice.IVFG@de.indorama.net
Tel. +49 8234 9688 1673
www.indoramaventures.com

Freigabe für die Marke Trevira CS eco®

Silent Gliss
Fabrics & Components GmbH
Rheinauenstrasse 8
79415 Bad Bellingen
Deutschland

Antrags-Nr.:	**253001.1**
Freigabedatum:	01.08.2025
Gültig bis:	09.05.2030
Artikel:	Colorama 2 ECO
Farbe:	natural
Einsatzgebiet:	Innenliegender Sonnenschutz
Flächengewicht (g/m²): laut Kundenangabe	260
Rohstoffzusammensetzung:	100% Polyester
Flächenzusammensetzung:	100% Trevira CS eco mit % pre-consumer recycelt (Faser)

Der Artikel Colorama 2 ECO wurde unter der Antragsnr. 253001 geprüft und erhält die Freigabe für die Marke Trevira CS eco® für den Einsatz im Innenraum.

Der vorliegende Artikel wurde nach DIN 4102 Teil 1, 6.2 geprüft und erfüllt damit auch die Anforderungen der Brandklasse DIN 4102-B1.

Der Artikel wurde nach der französischen Norm NF P 92-504 (Propagation de flamme) geprüft und erfüllt damit auch die Anforderungen der Klasse M1 nach NF P 92-503, 92-505 und 92-507.

Der Artikel erfüllt die Anforderungen der Klasse 1 nach EN 13773.

Der Artikel wird die Anforderungen an Klasse B-s1, d0 gemäß der europäischen Norm EN 13501-1 erfüllen. Für Trevira CS wurde eine Allgemeine bauaufsichtliche Zulassung vom DIBt erteilt, Zulassungsnr. Z.56.25-3573 vom 10.01.2024.

Der Artikel erfüllt auch die Anforderungen an Klasse 1 gemäß der italienischen Norm UNI 8456 und UNI 8457.

Sitz der Gesellschaft / registered office: Bobingen • Amtsgericht / Local Court: Augsburg HRB 24933
Geschäftsführer / Managing Directors: Klaus Holz (CEO), Sunil Baldi • Vorsitzender des Aufsichtsrats / Chairman Supervisory Board: Jochen Boos

Der Artikel erfüllt die Anforderungen nach UNI 9175, Klasse 1 IM in Kombination mit geeigneten schwerentflammbaren Schaumstoffen.

Der Artikel erfüllt auch die Anforderungen der englischen Norm BS 5867 Part 2 Type C.

Der Artikel erfüllt auch die Anforderungen nach BS 5852: Zündquelle 0 (Zigarette), Zündquelle 1 (Streichholz) und Zündquelle 5 (crib 5) in Kombination mit geeigneten schwerentflammbaren Schaumstoffen (mindestens 50 kg/m³).

Der Artikel erfüllt die Anforderungen der nordamerikanischen Norm NFPA 701: 2010 Test Method #1. Test Report Govmark, New York No. 2-94779, 2-94780, 2-94781.

Indorama Ventures Fibers Germany GmbH
(Dieses Dokument ist ohne Unterschrift gültig.)